

*Opus Floors Canada Corp.*

# EPOS SERIES

## OPUS FLOORS

## PRODUCTS - EPOS



Name	Epos Marlee
Size	2.5 x 240 x 1230mm L4' x W9½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Marlee Oak](#)



## PRODUCTS - EPOS



Name	Epos Mitchell
Size	2.5 x 240 x 1230mm L4' x W9½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Mitchell Oak](#)

## PRODUCTS - EPOS



Name	Epos Jaggar
Size	2.5 x 240 x 1230mm
	L4' x W9½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Jaggar Oak](#)

## PRODUCTS - EPOS



Name	Epos Pettee
Size	2.5 x 240 x 1230mm L4' x W9½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Pettee Oak](#)

## PRODUCTS - EPOS



Name	Epos Marlee/Mitchell Blend
Size	2.5 x 240 x 1230mm L4' x W9½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Marlee/Mitchell Blend](#)



## PRODUCTS - EPOS



Name	Epos Bowee
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Bowee Oak](#)

## PRODUCTS - EPOS



Name	Epos Beecham
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	20mil Wearlayer



Learn more about [Beecham Grey](#)



## PRODUCTS - EPOS



Name	Epos Otto
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	20mil Wearlayer



Learn more about [Otto Oak](#)

## PRODUCTS - EPOS



Name	Epos Freddy
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	A&B Pattern 20mil Wearlayer



Learn more about [Freddy Oak](#)

## PRODUCTS - EPOS



Name	Epos Barbirolli
Size	2.5 x 160 x 1230mm L4' x W6½"
Feature	Brown&Grey Variation 20mil Wearlayer



Learn more about [Barbirolli Oak](#)



## PRODUCTS - EPOS



Name	Epos Eric
Size	2.5 x 235 x 1227mm L4' x W9¼"
Feature	20mil Wearlayer



Learn more about [Eric Oak](#)

## PRODUCTS - EPOS



Name	Epos Thorowood
Size	2.5 x 235 x 1227mm L4' x W9¼"
Feature	20mil Wearlayer



Learn more about [Thorowood Oak](#)

## PRODUCTS - EPOS



Name	Epos Carlos
Size	2.5 x 235 x 1227mm L4' x W9¼"
Feature	20mil Wearlayer



Learn more about [Carlos Oak](#)



## PRODUCTS - EPOS



Name	Epos Serafin
Size	2.5 x 235 x 1227mm L4' x W9¼"
Feature	Registered Embossed 20mil Wearlayer



Learn more about [Serafin Oak](#)

## PRODUCTS - EPOS



Name	Epos Ysaye
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	Registered Embossed 20mil Wearlayer



Learn more about [Ysaye Oak](#)

## PRODUCTS - EPOS



Name	Epos Herbert
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	Registered Embossed 20mil Wearlayer



Learn more about [Herbert Oak](#)



## PRODUCTS - EPOS



Name	Epos Jarney
Size	2.5 x 192 x 1230mm L4' x W7½"
Feature	Registered Embossed 20mil Wearlayer



Learn more about [Jarney Oak](#)

## PRODUCTS - EPOS



Name	Epos Tirana
Size	2.5 x 157 x 1227mm L4' x W6"
Feature	20mil Wearlayer



TIRANA OAK

Learn more about [Tirana Oak](#)

## PRODUCTS - EPOS



Name	Epos Bari
Size	2.5 x 157 x 1227mm L4' x W6"
Feature	20mil Wearlayer



BARI OAK



## PRODUCTS - EPOS



Name	Epos Pescara
Size	2.5 x 157 x 1227mm L4' x W6"
Feature	20mil Wearlayer



## PRODUCTS - EPOS



Jaggar



Marlee



Mitchell



Pettee



Marlee/Mitchell Blend



Barbirolli



Bowie



Freddy



Beecham



Serafin



Herbert



Otto



Ysaye



Jarney



Thorowood



Carlos



Eric



Bari




Pescaria



Tirana

## PRODUCTS - EPOS

### CONSTRUCTION



### EPOS FEATURES AND BENEFITS

- Heavy commercial 2.5mm gauge
- Phthalate free, no formaldehyde
- UV coating with scratch resistant finish
- Glued down installation system
- Water resistant and resist chips & dents
- Exceptional styling and colours
- Extremely durable 20mil wearlayer
- Floorscore certified
- Easy to maintain
- Easy to repair
- 10 year commercial warranty
- Commercial project valued



## PRODUCTS - EPOS SPECS


Colours	Texture Detail	Bevel	Size	Packing
Bowee, Freddy	Embossed, Double Pattern	Micro Bevel	approx. W7½" x L4' 2.5 x 192 x 1230mm	20pcs/ctn, 50.84sqft/ctn
Beecham, Otto	Embossed	Micro Bevel	approx. W7½" x L4' 2.5 x 192 x 1230mm	20pcs/ctn, 50.84sqft/ctn
Barbirolli	Embossed	Micro Bevel	approx. W6½" x L4' 2.5 x 160 x 1230mm	18pcs/ctn, 38.13sqft/ctn
Eric, Thorowood, Carlos	Embossed	Micro Bevel	approx. W9¼" x L4' 2.5 x 235 x 1227mm	14pcs/ctn, 43.45sqf/ctn
Serafin	Registered Embossed	Micro Bevel	approx. W9¼" x L4' 2.5 x 235 x 1227mm	14pcs/ctn, 43.45sqf/ctn
Leonard, Herbert, Jarney, Ysaye	Registered Embossed	Micro Bevel	approx. W7½" x L4' 2.5 x 192 x 1230mm	18pcs/ctn, 45.75sqft/ctn
Tirana	Embossed	Straight Edge	approx. W6" x L4' 2.5 x 157 x 1227mm	20pcs/ctn, 41.47sqf/ctn
Jaggar Plus, Marlee Plus, Mitchell Plus, Pettee Plus, Marlee Mitchell Blend	Embossed, Double Pattern	Micro Bevel	approx. W9½" x L4' 2.5 x 240 x 1230mm	14pcs/ctn, 44.49sqft/ctn



## PRODUCTS -EPOS DISPLAY STANDS

Epos Displays and Display Stands		
Medium 10 slots	stand	W390 x H1559mm W15" x D30" x H 61"
	display	W400 x H600mm approx.W15" x H24"
Regular 15 slots	stand	W500 x H1677mm W43" x D20" x H66"
	display	W600 x H900mm approx.W24" x H35"

Learn more about [Opus Displays and Display Stands](#)





# PRODUCTS - COMPARISON



Series	Maestro	Magic	Epos	Exposition
Construction	1.5mm Vinyl/4mm WPC with 1.5mm Premium Cork Backing	4mm SPC with 1mm Eco IXPE Backing	LVT Virgin PVC	12mm Laminate HDF core
Size	7mm thick x 6-12" wide	5mm thick x 7" wide	2.5mm thick x 6-9 1/2" wide	12mm thick x 7 1/2" wide
Wearlayer	Commercial 12mil Wearlayer	Commercial 12mil Wearlayer	Commercial 20mil Wearlayer	Scratch Resistance Wearlayer
Installation	Click *Hides Minor Subfloor Flaws Resists water without damage to flooring	Click *Hides Minor Subfloor Flaws Resists water without damage to flooring	Glue Down *See installation instruction Resists water without damage to flooring	Click *See installation instruction N/A
Stability	No T mold until 40'	No T mold until 50'	N/A	No T mold until 42'
	Stable in lab to 65°C	Stable in lab to 80°C	Stable to 40°C	Stable to 36°C
Radiant Heat	OK with approved/properly functioning systems	OK with approved/properly functioning systems	OK with approved/properly functioning systems	OK with approved/properly functioning systems
Warmth Sound Comfort	Superior Warmth, Comfort & Sound reduction(Air in Core), Vinyl top & Cork Backing	Additional Comfort and Sound reduction with SPC core and Eco IXPE underlay	PVC for warmth and comfort	3mm IXPE underlay required for further comfort and sound reduction
Environment	Phthalate Free No Formaldehyde	Phthalate Free No Formaldehyde	Phthalate Free No Formaldehyde	Phthalate Free Carb II compliant (regular laminate E1 Rated)
Special Features	Floor Score	Floor Score	Floor Score	CE Rated
	<b>SUPERIOR WARMTH, COMFORT and SOUND REDUCTION</b>	OK 3 seasons SUNROOMS/COTTAGES with 4th season unheated Builder Budget Valued	Heavy commercial rated Commercial Project Valued	Registered embossed Premium Laminate

Please contact your sales representative for architect & designer samples

## PRODUCTS - COMPARISON

PVC Flooring	Opus Floors Epos Series	Other Similar Flooring
		
<b>Finish</b>	Registered embossed & wood grain	Regular Surface
<b>Wearlayer</b>	0.5mm (20mil)	0.3mm (12mil)
<b>Construction</b>	Virgin PVC	Recycled( not stable) PVC
<b>Warranty</b>	25 years Residential/10 years Commercial	10+ years

*Opus Floors Canada Corp.*

# EPOS SERIES



[orderdesk@opusfloors.ca](mailto:orderdesk@opusfloors.ca)

Tel: 1 (800) 653 6177

Fax: 1 (866) 506-6448

[www.opusfloors.ca](http://www.opusfloors.ca)