

Opus Floors Canada Corp.

SHAWNEE SERIES

OPUS FLOORS


PRODUCTS -SHAWNEE




Superior 4mm Veneer
Stronger Core
Multilayers – 9 layers
Vertical & Horizontal Crossed Structure
Eucalyptus & Poplar Core




PRODUCTS -SHAWNEE



Ava Oak SP




Mayfield Walnut II




Balata Oak




Gazelle Oak




Alton Oak III




Belton Maple II




Fayette Maple II



Winfield Maple II




Moberly Maple II




Kennet Maple II


Shawnee
Traditional Maple
(non-handscraped)




Traditional
Winfield
(non-handscraped)



Traditional
Moberly
(non-handscraped)




Traditional
Belton
(non-handscraped)



Traditional
Fayette
(non-handscraped)

PRODUCTS -SHAWNEE



Name	Alton Oak III
Feature	UV lacquer
Surface	Wirebrushed
Thickness	¾" (18mm)
Width	7 ½" (190mm)
Length	Random Length



Learn more about [Alton Oak](#)

PRODUCTS -SHAWNEE




Name	Gazelle Oak
Feature	UV Oil
Surface	Wirebrushed
Thickness	¾" (18mm)
Width	7 ½" (190mm)
Length	Random Length



Learn more about [Gazelle Oak](#)

PRODUCTS -SHAWNEE




Name	Balata Oak
Feature	UV Oil
Surface	Wirebrushed
Thickness	¾" (18mm)
Width	7½" (190mm)
Length	Random Length



Learn more about [Balata Oak](#)

PRODUCTS -SHAWNEE




Name	Mayfield Walnut
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Learn more about [Mayfield Walnut](#)

PRODUCTS -SHAWNEE



Name	Moberly Maple II
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Moberly Maple II also available in traditional Moberly (non-handscraped)

[Learn more about Moberly Maple II](#)

PRODUCTS -SHAWNEE



Name	Fayette Maple II
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Fayette Maple II also available in traditional Moberly (non-handscraped)

[Learn more about Fayette Maple II](#)

PRODUCTS -SHAWNEE



Name	Belton Maple II
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Belton Maple II also available in traditional Moberly (non-handscraped)

[Learn more about Belton Maple II](#)

PRODUCTS -SHAWNEE




Name	Winfield Maple II
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Winfield Maple II also available in traditional Moberly (non-handscraped)

Learn more about [Winfield Maple II](#)

PRODUCTS -SHAWNEE




Name	Kennet Maple II
Feature	UV Lacquer
Surface	Handscraped
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



KENNET MAPLE II

Learn more about [Kennet Maple II](#)

PRODUCTS -SHAWNEE



Name	Ava Oak SP
Feature	UV Lacquer
Surface	Wirebrushed
Thickness	¾" (18mm)
Width	6" (150mm)
Length	Random Length



Learn more about [Ava Oak SP](#)

PRODUCTS -SHAWNEE DISPLAY STAND

Shawnee Displays and Display Stands		
Medium 10 slots	stand	W390 x H1559mm W15" x D30" x H 61"
	display	W380 x H600mm approx.W15" x H24"
Regular 10 slots	stand	W600x H1559mm W34" x D24" x H61"
	display	W600x H900mm approx.W24" x H35"



Learn more about [Opus Displays and Display Stands](#)



PRODUCTS -SHAWNEE SPECS

Colours	Material	Coating	Texture Detail	Size	Packing
Ava SP	White Oak	UV lacquer	Wirebrushed	approx. 3/4" x W6" Random Length 1'4"-6'3" 18/4 x 150 x RL 400-1900mm	6levels/ctn, 18.41 sqf/ctn
Winfield, Belton, Kennet, Fayette, Moberly	Canadian Maple	UV lacquer	Handscraped	approx. 3/4" x W6" Random Length 1'4"-5'6" 18/4 x 150 x RL 400-1700mm	6levels/ctn, 21.32 sqf/ctn
Traditional - Winfield, Belton, Kennet, Fayette, Moberly	Canadian Maple	UV lacquer	Smooth (non-handscraped)	approx. 3/4" x W6" Random Length 1'4"-5'6" 18/4 x 150 x RL 400-1700mm	6levels/ctn, 21.32 sqf/ctn
Mayfield	American Walnut	UV lacquer	Handscraped	approx. 3/4" x W6" Random Length 1'4"-5'6" 18/4 x 150 x RL 400-1700mm	6levels/ctn, 21.32 sqf/ctn
Alton III	White Oak	UV lacquer	Wirebrushed	approx. 3/4" x W7½" Random Length 1'4"-6'3" 18/4 x 190 x RL 400-1900mm	6levels/ctn, 23.32 sqf/ctn
Gazelle, Balata	White Oak	UV Oil	Wirebrushed	approx. 3/4" x W7½" Random Length 1'4"-6'3" 18/4 x 190 x RL 400-1900mm	6levels/ctn, 23.32 sqf/ctn

PRODUCTS -SHAWNEE COMPARISON

Engineered Hardwood Flooring	A	B
	Shawnee Series 	Other similar engineered flooring 
Finish	UV Oil/Aluminum Oxide Finish	Common finish
Moisture	6-8	8-10
Veneer	4mm approx.1/5"	2-3mm approx.1/10"
Total Thickness	18mm approx.3/4"	12-15mm approx.1/2"
Materials	9 layers poplar and eucalyptus	3-7 layers poplar
Length	400-1900mm approx. 1'4"-6'3"	400-1200mm approx. 1'4"-4'
Width	Up to 190mm approx. 7½"	125mm approx. 5"
Surface	Wirebrushed/ Handscraped	Smooth
Warranty	25 years residential	10+ years

Opus Floors Canada Corp.

SHAWNEE SERIES



orderdesk@opusfloors.ca

Tel: 1 (800) 653 6177

Fax: 1 (866) 506-6448

www.opusfloors.ca